



Scan the QR code for Two Wheeler Tyre Warranty Registration

**REGISTERED OFFICE / PLANT:**

SM 12 + SM 51/2, Sanand-II  
Industrial Estate, Ahmedabad,  
Gujarat – 382110  
[www.maxxistyres.co.in](http://www.maxxistyres.co.in)

For more information,  
please contact us at  
(Toll Free) **1800-532-2888**



**WORLD'S NO.1  
TWO-WHEELER TYRE**



**M-SERIES**  
TWO-WHEELER TYRE



# M-SERIES SCOOTER TYRE



## M6000/M6000R

- The M6000/M6000R is science in design. Its reinforced side wall strength and computerized tread pattern gives rear wheels a whole new definition. Created to challenge wet and dry roads with better speed handling and unwavering stability, the M6000/R takes the joy of riding to a whole new level.

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
M6000	FR/RR	3.50-10	59	J	Tubeless
M6000	FR/RR	90/100-10	53	J	Tubeless ***
M6000R	RR	90/100-10	53	J	Tubeless
M6000	FR/RR	90/90-12	54	J	Tubeless ***
M6000R	RR	90/90-12	54	J	Tubeless
M6000	RR	90/90-10	64	S	Tubeless

\*\*\* OEM fitted sizes

## M6016/M6016R

- The M6016/M6016R has been thoughtfully designed for dry and wet roads. Its scientific directional grid pattern does two things in one go – gives you better braking and high speed controls on a dry road by providing a large surface area to play on; diagonal treads to disburse water effectively on wet surfaces while giving riding stability. What more can you ask for!

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
M6016	FR/RR	90/100-10	53	J	Tubeless
M6016R	RR	90/100-10	53	J	Tubeless
M6016	FR/RR	90/90-12	54	J	Tubeless





## M6017

- The M6017 has uniquely designed angular, block pattern grooves which are wider, deeper and inter-connected to give superior cornering control on wet roads and superior grip on both paved and unpaved roads. The confidence you get with this tyre's superior grip and traction, makes each ride an amazing one.

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
M6017	RR	120/70-10	54	L	Tubeless
M6017	FR	110/70-11	45	L	Tubeless

## M6182

- The M6182 is perfect for both serious off-roading and city driving. Its powerful directional semi-lug pattern gives great stability whether you are riding in a straight line or attempting a challenging sharp-corner-stunt. Go ahead, take on the road of your choice!

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
M6182	FR/RR	90/100-10	53	J	Tubeless



## M6302/M6303

- The M6302/M6303 makes every dry road, feel like melted butter. Its nylon ply construction combined with a unique eye-brow pattern gives perfect stability and superior traction on all those dangerous turns and dusty paths you wish to take.

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
M6302	FR/RR	90/100-10	53	J	Tubeless
M6303	RR	90/100-10	53	J	Tubeless ***
M6302	FR/RR	90/90-12	54	J	Tubeless ***

\*\*\* OEM fitted sizes

## M6305

- The M6305 has a special nylon-ply construction design. Its deep tread grooves give better water channeling and great traction on any kind of off-roading terrain. In short, its durable, stable and dependable. So choose your turf with out a care!

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
M6305	RR	90/100-10	53	J	Tubeless





## M922F

- The M922F has a special edge when it comes to tyre designs for electric two wheelers. The tread have circumferential grooves as well as lateral ones that work together to give a great grip. The ride is smooth - be it a wet road or a well paved terrain. With a larger contact patch, the tyres last longer, as tread wear is minimised to a large extent.

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
M922F	FR	90/90-12	44	J	Tubeless
M922F	RR	120/70-12	51	L	Tubeless

## M6307/M6220

- When it comes to urban riding, M6307 / M6220 is a cut above the rest. Its unique pattern offers you first-class handling and maneuverability in urban terrain. Made with silica rich compound, it enhances wet grip and reduces rolling resistance by 20%, giving you maximum fuel efficiency. It is designed to beat the wet and dry road conditions and to make your ride a seamless one.

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
M6307	FR/RR	90/90-12	54	J	Tubeless ***
M6220	RR	110/90-10	61	J	Tubeless ***

\*\*\* OEM fitted sizes



## M6309/M6310

- A limited-edition tyre, for the ones who take their rides very seriously. This tyre, specially designed for Yamaha is the best for mixed roads with its block pattern. It's time to stop fretting and worrying. The first-class handling and manoeuvrability make sure you do everything with ease. Ride on and on without worrying about fuel. Its silica-rich compound reduces rolling resistance by 20% and improves fuel efficiency.

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
M6309	FR/RR	90/90-12	54	J	Tubeless ***
M6310	RR	110/90-10	61	J	Tubeless ***

\*\*\* OEM fitted sizes

## MA-PD

- Large tread blocks with wide grooves for excellent water dispersion and wet traction. Excellent combination of tire construction and tread design to provide super straight-line handling and stability. Optimized pattern design around shoulder area to create large contact patch for superior cornering, and smooth turning transition. Special formulated compound for low tread wear and high mileage.

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
MA-PD	FR	110/80-14	53	P	Tubeless
MA-PD	RR	120/70-14	55	P	Tubeless





### MA-88F/MA-88R

- With S groove on the center and anti-reverse groove on the side, it provides excellent wet grip and handling. Aggressive tread pattern and decreased land ratio for excellent water dispersion and wet traction. Special profile design with formulated tread compound reduces wear to extend tread life.

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
MA-88F	FR	100/80-12	56	L	Tubeless
MA-88R	RR	110/80-12	61	L	Tubeless

### M0098ST

- Special tread compound formula design, straight riding with great tread wear provides excellent cornering grip and traction. Excellent tire pattern design provides controlling and stability in high speed. Streamline tread pattern design and increasing groove area exalt the safety and wet grip performance in the rainy day.

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
M0098ST	FR	110/80-14	53	P	Tubeless
M0098ST	RR	140/70-14	62	P	Tubeless



## M-SERIES MOTORCYCLE TYRE





## MA-V6/MA-V6R

- The MAV6/MAV6R makes every road you ride on, a smooth tarmac. This all weather tyre takes on wet and dry roads with equal ease. Its unique flame-look pattern gives effective water dispersal while giving extra grip while you are busy chasing the road. In short, there isn't a road you cant take !

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
MA-V6	FR	2.75-17	41	P	Tube Type
MA-V6	FR	2.75-18	42	P	Tube Type
MA-V6R	RR	2.75-18	48	P	Tube Type
MA-V6	FR	80/100-18	47	P	Tubeless
MA-V6R	RR	80/100-18	54	P	Tubeless

## M116

- M116 comes with ease of maneuvering, enhanced steering control and best-in-class straight handling. Optimum compound hardness for better grip and safety, as well as higher Tyre life. Less Rolling resistance for better fuel efficiency.

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
M116	FR	2.75-17	41	P	Tube Type
M116	FR	2.75-18	42	P	Tube Type
M116	FR	2.75-18	42	P	Tubeless
M116	FR	3.25-19	54	P	Tube Type



## M6301

- The M6301 is designed to take the rough with the wet! Its special Lug pattern treads, with effective water dispersal abilities, manoeuvre wet roads with panache. Take a dry road, and its large tread blocks come into play, giving high surface contact and the stability and power, every rider seeks!!

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
M6301	RR	3.00-17	50	P	Tube Type
M6301	RR	3.00-17	50	P	Tubeless
M6301	RR	2.75-18	50	P	Tube Type
M6301	RR	2.75-18	48	P	Tubeless
M6301	RR	3.00-18	52	P	Tube Type
M6301	RR	3.00-18	52	P	Tubeless
M6301	RR	80/100-18	54	P	Tubeless
M6301	RR	3.25-19	54	P	Tube Type
M6301	RR	3.50-19	63	P	Tube Type



## M6302/M6303S

- The M6302/M6303s makes every dry road, feel like melted butter. Its nylon ply construction combined with a unique eye-brow pattern gives perfect stability and superior traction on all those dangerous turns and dusty paths you wish to take.

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
M6302	FR	2.75-17	41	P	Tube Type
M6302	FR	2.75-17	41	P	Tubeless
M6303S	RR	3.00-17	50	P	Tube Type
M6302	FR	2.75-18	42	P	Tube Type
M6302	FR	2.75-18	42	P	Tubeless
M6303	RR	2.75-18	48	P	Tube Type
M6303S	RR	3.00-18	52	P	Tube Type
M6302	FR	80/100-18	47	P	Tubeless
M6303S	RR	80/100-18	54	P	Tubeless

\*\*\* OEM fitted sizes



## M6304

- The M6304 is designed for serious off-roaders. Its large tread blocks with deep grooves give more stability, better water channeling and outstanding durability. Go ahead, take on the rough stuff.

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
M6304	RR	3.00-17	50	P	Tube Type
M6304	RR	3.00-17	50	P	Tubeless
M6304	RR	2.75-18	48	P	Tube Type
M6304	RR	2.75-18	48	P	Tubeless
M6304	RR	3.00-18	52	P	Tube Type
M6304	RR	3.00-18	52	P	Tubeless
M6304	RR	80/100-18	54	P	Tubeless

## M910/M904

- For those who don't think about the weather before hitting the road. This all-season tyre has got you covered with its perfect stability and superior traction. Thanks to the extra grip, now all you need to do is turn on the ignition and go where your heart takes. Maxxis M904/M910 has got your back.

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
M904	RR	100/80-18	53	P	Tubeless
M910	FR	80/100-18	47	P	Tubeless





## M6311/M6312 (MAXXCEED)

- Maxxis M6311/M6312 gives you the control while riding. Its curvilinear design becomes your companion while cornering on wet roads and dispersing water. Steering, leaning, cornering - all get an upgrade because of the technologically advanced design which creates a greater contact area and optimises structural rigidity. The custom designed zig-zag sipes on alternate lugs relieve the stress of the tyre. They also reduce shape distortion, improve performance and enhance the tyre's total life. As the perfect closing detail, the closed grooves at the shoulder of Maxxis M6311/M6312 minimise the chances of cracking by providing additional support and resistance to the wear and tear forces.

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
M6311	FR	80/100-17	46	P	Tubeless
M6311	FR	90/90-17	49	P	Tubeless
M6311	FR	100/80-17	52	P	Tubeless
M6312	RR	100/90-17	55	P	Tubeless
M6312	RR	110/80-17	57	P	Tubeless
M6312	RR	120/80-17	61	P	Tubeless
M6312	RR	130/70-17	62	P	Tubeless
M6312	RR	140/60-17	63	P	Tubeless
M6312	RR	140/70-17	66	S	Tubeless
M6312	RR	100/90-18	56	P	Tubeless
M6311	FR	3.25-19	54	P	Tubeless
M6311	FR	90/90-19	52	P	Tubeless
M6312H	RR	3.25-19	54	P	Tubeless
M6312H	RR	3.50-19	63	P	Tubeless
M6312H	RR	110/90-18	61	P	Tubeless
M6312H	RR	120/80-18	62	P	Tubeless



## M6233/M6234 (EXTRAMAXX)

- Extramaxx is made with Dual Compound Composition - centre compound minimises rolling resistance while improving stability and tyre life; the side compound on the rear tyre provides higher traction and better control during cornering. It is built using the world's strongest aramid fibre, the same fibre used for making bulletproof vests, leading to better control and minimizes the chances of punctures. The Super wide and flatter tyre profile provides a larger contact patch, better grip and handling at high speeds. The unique 'Carcass Breaker' structure of Extramaxx makes it two times stronger than an ordinary tyre.

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
M6233	FR	110/70-17	54	S	Tubeless ***
M6234	RR	140/70-17	66	S	Tubeless ***
M6233	FR	90/90-17	49	P	Tubeless
M6233	FR	100/80-17	52	P	Tubeless
M6234	RR	120/80-17	61	P	Tubeless
M6234	RR	130/70-17	62	P	Tubeless
M6234	RR	140/60-17	63	P	Tubeless
M6234	RR	150/60-17	66	S	Tubeless

\*\*\* OEM fitted sizes





### M6239/M6240 (MAXXPLORE)

- Maxxplore is specially designed to cater the needs of riders having crave for exploration of off-road conditions without compromising speed . It has been built with state of art advance rubber compound technology that offers higher strength and outstanding performance on dry/wet conditions. The aggressive big blocks are meant for long lasting grip without compromising on rider's safety. Its deep grooves offer better water channeling with excellent performance on wet surface. Overall, this tyre is suitable for sports commuters having excellent grip ensuring comfortable ride with superior safety. What are you waiting for? Go ahead and Stay hard on off-road!

Pattern	Position	Tyre Size	Loading Index	Speed Rating	Type
M6240	RR	100/90-17	55	P	Tubeless
M6239	FR	3.25-19	54	P	Tubeless
M6239	FR	90/90-19	52	P	Tubeless
M6239	FR	90/90-21	54	S	Tube Type
M6239	FR	100/90-19	57	S	Tubeless
M6240	RR	100/90-18	56	P	Tubeless
M6240	RR	120/80-17	61	P	Tubeless
M6240	RR	120/90-17	64	S	Tube Type
M6240	RR	140/70-17	66	S	Tubeless
M6240	RR	110/90-18	61	P	Tubeless
M6240	RR	120/80-18	62	P	Tubeless
M6240	RR	3.25-19	54	P	Tubeless
M6240	RR	3.50-19	63	P	Tubeless

## Our OEM 2w Partners

Loved by the world. Now loved by India too.

Maxxis is one of the leading OEMs to top automobile companies in India.

